


Toshiba Portege Z835-P330 Keyboard Replacement

This guide will help you in replacing the keyboard of this device.

Written By: Dominic Whiting



This document was generated on 2020-11-27 01:46:29 PM (MST).

INTRODUCTION

This repair guide will give you the steps to follow to replace the keyboard of your device.



TOOLS:

- iFixit Opening Tools (1)
- Phillips #1 Screwdriver (1)
- Phillips #2 Screwdriver (1)



PARTS:

Toshiba Portege Z835-P330 Keyboard (1)

Step 1 — Keyboard



 Remove the thirteen 1.4mm screws using a Phillips #2 screwdriver

Step 2



- Locate the hidden screw found in the middle of the back hard cover.
 - *i* The hidden screw is found under the rubber cover shown in picture.
- Here you will find a proprietary Japanese screw head.
 - (i) Remove the screw with your own tool (not provided by IFixit) or by using the methods found here.



- Peel off the hardcover on the back of the device to expose the interior of the device.
 - Force may be required, but the hardcover should detach smoothly.

Step 4




 Remove the six screws using a Phillips #1 screwdriver.




- Remove the white <u>Bundled Cable</u> <u>Connector</u> by gently pulling it out of the socket. Follow the guide <u>here</u>.
 - Plug should easily detach with little force.

Step 6




 Lift the battery up by its sides. The battery should easily come off.



 Locate two <u>ZIF (Zero Insert Force)</u> connector cables underneath the battery.

Step 8



- Remove the two cables by following the direction <u>here.</u>
 - i The cables should come off easily.



- Flip the device over to access the keyboard.
- Insert the <u>Opening Tool</u> into the crevice on one side of keyboard frame.
- Pry off the keyboard using the tool.

Step 10



- Pull off the rest of the keyboard with your hands when you're able to easily grab underneath the keyboard.
 - The keyboard will be taped underneath but will easily detach.

To reassemble your device, follow these instructions in reverse order.