



# HP Pavilion dv7t-7000 Keyboard Replacement

Replacement guide for the keyboard of the HP...

Written By: Gavin Loera



# INTRODUCTION

Replacement guide for the keyboard of the HP Pavilion dv7t-7000.

---

## TOOLS:

[Tournevis cruciforme #00](#) (1)

[Spatule en métal](#) (1)

[Outil pour ouvrir iFixit](#) (1)


---

## Step 1 — Battery



- Turn the computer off and disconnect it from all power sources.

## Step 2



- Slide the battery release switch to the left.

## Step 3




- Hold the release switch all of the way to the left and your other hand to pull the battery out.

## Step 4 — Back Panel



- Unscrew the single Phillips #00 screw.
- ❗ Screw will not come out, it is connected to the panel

## Step 5



- Remove service hatch by sliding away from the computer and lifting up.




## Step 6 — Keyboard



- Remove the single Phillips #00 screw.
- Flip the laptop over.

## Step 7



- Wedge a spudger in between the keyboard and the upper bezel (nearest the screen).
- Pry upward to release the keyboard clips.

⚠ The keyboard is plugged into the motherboard, so be careful not to pull out while lifting keyboard.

## Step 8



- Use the flat end of a spudger to flip up the black tab on the ZIF connectors.
- Pull the ribbon cables out of the ZIF connectors.
- Remove the keyboard.

To reassemble your device, follow these instructions in reverse order.