



Archived

Motorola Droid Turbo 2 Battery Replacement

Use this guide to replace a dead or dying...

Written By: Chisi Amanda Xiong



INTRODUCTION

Use this guide to replace a dead or dying battery for your Motorola Droid Turbo 2.

TOOLS:

Tweezers (1)
Spudger (1)
SIM Card Eject Tool (1)
iFixit Opening Tool (1)
iFixit Opening Picks (Set of 6) (1)
T4 Torx Screwdriver (1)

PARTS:


Droid Turbo 2 Battery - Genuine (1)
Droid Turbo 2 Rear Cover Adhesive (1)

Step 1 — Battery



- Using your fingers, carefully remove the black tape from the battery.
- ① Try not to rip the tape as you will use it on the new battery.

Step 2



- Remove two 4.0 mm T4 Torx screws securing the metal battery bracket.
- Remove the metal bracket.

Step 3



- Use the angled [tweezers](#) to disconnect the small connector near the bottom right corner of the battery.

Step 4



- Using a plastic opening tool, unlatch the small black ribbon on the upper right corner of the battery.

Step 5



- Reheat the iOpener and apply it to the battery to help soften the adhesive holding it to the display assembly.
- Use an old credit card, opening pick, or other flat plastic pry tool to carefully pry out the battery from the adhesive holding it in place.

⚠ Don't deform or puncture the battery, or it may leak dangerous chemicals or catch fire.

To reassemble your device, follow these instructions in reverse order.