




Mac Laptop SSD Replacement

Recently I purchased a OWC Aura Pro X2 SSD /...

Written By: Bobby Terrell



INTRODUCTION

Recently I purchased a OWC Aura Pro X2 SSD / 480 GB1 x \$229.99 through iFixit.com. I have noticed that while attending college my storage space has evaporated due to curriculum required installed programs. I will be creating a clone of the current hard drive onto the new hard drive before the install. Be sure to follow each step according to the outline in this tutorial to ensure success.

This will save you tons of time and hassle.

I had a clean install of OS High Sierra on a separate external drive. This helped me when I rebooted, as the new SSD was not found and could not be formatted or improved upon. Using the external I was able to get the drive recognized (due to a necessary Firmware update within High Sierra) and from there was able to install the new OS onto the new drive. Read that again, it might be helpful to you.



TOOLS:

- [Western Digital 2 TB Elements External Hard Drive - USB 3.0 \(1\)](#)
- [Pro Tech Toolkit \(1\)](#)



PARTS:

- [OWC Aura Pro X2 SSD \(1\)](#)


Step 1 — Buy the OWC Aura Pro X2 SSD / 480 GB drive

Quantity	Description
1	OWC Aura Pro X2 SSD / 480 GB

Thanks for supporting the free repair
Learn how to repair just about anything


- Don't take the back cover off until you finish a full back up. It may take a while but you will thank me later. Use a SSD back up drive at least once a week. You can use that same back up external drive to conduct this back up and restore later onto the new SSD drive. Suggesting the 2TB SSD from WD (Amazon) for \$59.

Step 2



- My old SSD was only 250gb and has a Virtual machine on one partition of it.

Step 3 — Ensure you make a current back up.



- Failure to make a back up will make it impossible to restore recent files/programs. My back up took 20 minutes to complete as I got a week behind and had to rebuild a virtual drive that VMware Fusion uses. I can make a tutorial for it if you need. Just ask here.

Step 4 — Verify you have the drive



- Don't remove from package until we are ready to install it. The least amount of handling possible ensures no static discharge or other damage can occur.

Step 5 — Ensure you have the proper tools.



- I got this tool kit from iFixit and its been a great kit.

Step 6



- Shut computer down and flip over to remove back. Use the P5 star tip to remove screws. Place them in a safe, none slip container. These screws are really tiny. Also, the screws closest to the monitor are the shortest and must be separated to ensure they go back in same slot. Otherwise you will have screws stick out in these slots.

Step 7



- A Torx T4 bit is needed to remove the screw holding the current SSD card in. Only pry the SSD up this much to remove it. It will be harder to put the new one in vs taking the old one out. Don't worry, it is the right part. Also, be sure to fully seat the new SSD. Failure to do so will cause the drive not to show up in the next step. See pic.

Step 8



- Booting up will look like this. Hold down command key and R and press power button. This will force the OS to install on new drive from the wifi. If you don't have your password handy, get it now.

Step 9

```
Terminal — -bash — 80x24
diskutil list
(disk image):
      TYPE NAME                SIZE      IDENTIFIER
GUID_partition_scheme          +2.1 GB   disk0
  Apple_HFS macOS Base System  2.0 GB   disk0s1

(internal):
      TYPE NAME                SIZE      IDENTIFIER
GUID_partition_scheme          480.1 GB   disk1
  EFI EFI                      209.7 MB  disk1s1
  Apple_HFS OWC Aura Pro X2    479.7 GB  disk1s2


(disk image):
      TYPE NAME                SIZE      IDENTIFIER
untitled                        +5.2 MB   disk2

(disk image):
      TYPE NAME                SIZE      IDENTIFIER
untitled                        +524.3 KB disk3

(disk image):
      TYPE NAME                SIZE      IDENTIFIER
untitled                        +524.3 KB disk4
```

- I had to format the new SSD via terminal because I didn't have a special install kit. Disconnect all other external drives, In Terminal type the following command, then press the Return key: `diskutil list`
- When using terminal it is important to type all the commands exactly as they appear in this guide. Making a typo could result in lost data and time.
- A long list of disks will appear; we need to find our target disk from this list. An internal drive should be the very first or second drive in the list (see image below). The majority of the list is going to be ignorable disk images. To find the internal SSD, look for the following: '(internal, physical)' which is disk1 in the image, second entry.

Step 10



```
Terminal — -bash — 80x24
/dev/disk18 (disk image):
#:          TYPE NAME          SIZE
0:          unformatted        +6.3 MB


/dev/disk19 (disk image):
#:          TYPE NAME          SIZE
0:          unformatted        +524.3 KB

/dev/disk20 (disk image):
#:          TYPE NAME          SIZE
0:          unformatted        +2.1 MB

[-bash-3.2#
[-bash-3.2# diskutil eraseDisk JHFS+ MacOS /dev/disk1
Started erase on disk1
Unmounting disk
Creating the partition map
Waiting for partitions to activate
Formatting disk1s2 as Mac OS Extended (Journaled) with name MacOS
Initialized /dev/rdisk1s2 as a 447 GB case-insensitive HFS Plus volume
960k journal
Mounting disk
Finished erase on disk1
[-bash-3.2#
```

- In Terminal type the following command using the identifier found in the previous step and hit the Return key. `diskutil eraseDisk JHFS+ MacOS /dev/disk1` The process normally takes a minute or two to complete.
- If your internal, physical disk isn't disk1 then use the identifier as appropriate to your computer. Mine is disk1 here in this example.
- The process normally takes a minute or two to complete. When the process is complete, you will see the following message: "Finished erase on identifier" where identifier was the number you previously identified.
- The SSD has now been formatted as a Mac OS Extended (journaled) volume named 'MacOS'. Continue using this guide to format the disk as an AFPS volume, however if a Mac OS Extended (journaled) volume is desired you may now stop.

Step 11




```
Terminal — -bash — 97x24
#:          TYPE NAME          SIZE
0:          untitle            +2.1 MB

[-bash-3.2#
[-bash-3.2# diskutil eraseDisk JHFS+ MacOS /dev/disk1
Started erase on disk1
Unmounting disk
Creating the partition map
Waiting for partitions to activate
Formatting disk1s2 as Mac OS Extended (Journaled) with name MacOS
Initialized /dev/rdisk1s2 as a 447 GB case-insensitive HFS Plus vol
Mounting disk
Finished erase on disk1
[-bash-3.2# diskutil apfs createContainer /dev/disk1s2
Creating container with disk1s2
Started APFS operation on disk1s2 MacOS
Creating a new empty APFS Container
Unmounting Volumes
Switching disk1s2 to APFS
Creating APFS Container
Created new APFS Container disk21
Disk from APFS operation: disk21
Finished APFS operation on disk1s2 MacOS
[-bash-3.2# diskutil apfs addVolume disk21
```

- From the previous step we need to note the identifier of the new volume (red outlined box). It'll be mentioned in the "Formatting identifier as Mac OS Extended (Journaled) with name MacOS."
- In Terminal type the following command and hit the Return key:
`diskutil apfs createContainer /dev/identifier` The process normally takes a minute or two to complete. You'll see the following message when done: "Finished APFS operation on identifier MacOS"

Step 12

A terminal window titled "Terminal — -bash — 97x24" showing the process of adding a new APFS volume to an existing container. The terminal text includes: <name> = a volume name, <passphrase> = optionally create an encrypted volume, <passHint> = some string that can be shown even while, <reserveSize> = optional minimum guaranteed file data, <quotaSize> = optional maximum file data usage limit, <roles> = one or more of 0|B|R|V|I; see changeVolumeRc, <mountPoint> = "your" mount point (root only) (dir mus. Below this is a detailed instruction: "Add a new APFS Volume to an existing APFS Container. If you specify passphrase, it will be encrypted with the "disk" user and that passp. Ownership of the affected disks is required." This is followed by an example command: "diskutil apfs addVolume disk5 APFS Foo1" and three more example commands with options: "-passphrase", "-quota 10g", and "-reserv. The main command being executed is "diskutil apfs addVolume disk21 APFS MacOS". The output shows: "Exporting new APFS Volume "MacOS" from APFS Container Reference disk", "Started APFS operation on disk21", "Preparing to add APFS Volume to APFS Container disk21", "Creating APFS Volume", "Created new APFS Volume disk21s1", "Mounting APFS Volume", "Setting volume permissions", "Disk from APFS operation: disk21s1", "Finished APFS operation on disk21", and finally "-bash-3.2#".

```
Terminal — -bash — 97x24
<name> = a volume name
<passphrase> = optionally create an encrypted volume (
<passHint> = some string that can be shown even while
<reserveSize> = optional minimum guaranteed file data
<quotaSize> = optional maximum file data usage limit
<roles> = one or more of 0|B|R|V|I; see changeVolumeRc
<mountPoint> = "your" mount point (root only) (dir mus
Add a new APFS Volume to an existing APFS Container. If you specify
passphrase, it will be encrypted with the "disk" user and that passp
Ownership of the affected disks is required.
Example:  diskutil apfs addVolume disk5 APFS Foo1
          diskutil apfs addVolume disk5 APFS FooSecure2 -passphrase
          diskutil apfs addVolume disk5 APFS Foo3 -quota 10g -reserv
[-bash-3.2# diskutil apfs addVolume disk21 APFS MacOS
Exporting new APFS Volume "MacOS" from APFS Container Reference disk
Started APFS operation on disk21
Preparing to add APFS Volume to APFS Container disk21
Creating APFS Volume
Created new APFS Volume disk21s1
Mounting APFS Volume
Setting volume permissions
Disk from APFS operation: disk21s1
Finished APFS operation on disk21
-bash-3.2#
```



- From the previous step, note the identifier from the newly created APFS Container (shown in the red box below) and use it in place of 'identifier' in the final Terminal command, shown below the screenshot.
- In Terminal type the following command and hit the Return key: `diskutil apfs addVolume identifier APFS MacOS` The process normally takes a minute or two to complete. When the process is complete, you'll see the following message: "Finished APFS operation on identifier." The SSD is now formatted as APFS and is ready to use.

Step 13



- Here you install macOS Mojave as though it was a fresh install. It took my machine about 20 minutes to fully install and set up.

Step 14



- For your viewing verification.

Step 15



- This is how you know your done with the upgrade and migration! Enjoy.

To reassemble your device, follow these instructions in reverse order. Ensure that you have firmly installed the new SSD drive and that you have a solid wifi connection.