



# HP ZBook 15 Screen Replacement

This guide will demonstrate how to remove the screen from your laptop.

Written By: Grant Terris



---

## INTRODUCTION

Is the screen on your laptop malfunctioning? [Here](#) are some possible problems with your screen. If you determine that the screen needs to be replaced, follow this replacement guide!

---

### TOOLS:

- [Phillips #0 Screwdriver](#) (1)
  - [Tweezers](#) (1)
-

## Step 1 — Battery




- Flip the laptop over.
- Slide the lever with the battery symbol beside it firmly until the battery pops out.
- Remove the battery from the laptop.

## Step 2 — Screen



- Orient the laptop keyboard-side up.
- Use tweezers to remove the adhesive covers for the screws.

### Step 3



- Remove the two 6mm screws with a Phillips #0 screwdriver.

### Step 4



- Pull the bezel away from the screen.


⚠ Be sure to go one edge at a time! Do not pull hard on the corners as it may crack the bezel.

## Step 5



- Remove the four 3mm screws with a Phillips #0 screwdriver near the corners of the screen to remove the display.
- ⓘ Be careful not to confuse any screws. They are close together and you may remove the back cover instead of the display.

## Step 6



**!** Do not peel the tape from the side closest to the bottom of the screen panel! This may rip out the connector's wires.

- Gently lower the screen and lay it face down on the keyboard.
  - Lift the corners of the tape closest to the top of the screen and peel toward the center carefully.
  - Slowly pull the tape away from the sides.
  - Lift the tape and disconnect the screen connector.
- i** You can leave the tape stuck to the cable connector and still be able to remove it.

To reassemble your device, follow these instructions in reverse order.