



Kindle Voyage Battery Replacement

The battery, like most batteries, gives juice...

Written By: Sean Yap



INTRODUCTION

The battery, like most batteries, gives juice to the device. This guide will show you how to carefully remove it for troubleshooting purposes.

TOOLS:

[Phillips #00 Screwdriver](#) (1)

[Plastic Cards](#) (1)

[iFixit Opening Tool](#) (1)

[64 Bit Driver Kit](#) (1)

PARTS:

[Kindle Voyage Battery](#) (1)

Step 1 — Back Panel



- Insert a plastic opening tool between the plastic panel shown on the device.
- Use the tool to pry the plastic away from the device.
- ⓘ There will be adhesive holding this piece of plastic to the device. You may have to pull pretty hard to get it separated.

Step 2




- Use an aluminum driver attached with a Phillips head size #00 to remove the four 3mm screws shown in the picture. For reassembly, note that the top two and bottom two screws are different sizes.

Step 3



- Once the screws are removed, the back panel can slide off the device.

Step 4



- Remove the magnetic component with the magnetic head of the aluminum driver.

Step 5 — Battery



- Use a [plastic card](#) to pry the battery away from the device.
- Gently un-clip the battery plug from the device and remove the battery.

To reassemble your device, follow these instructions in reverse order.