



Asus MeMO Pad 7 (ME572C) Battery Replacement

Replacing a battery for a Asus MeMO Pad 7 to get to it to work again

Written By: Tyler Tripp



INTRODUCTION

This guide will show you how to replace a battery for a Asus MeMO Pad 7. The battery replacement is a simple procedure. If the battery is dead, the replacement could help your tablet to turn on.

TOOLS:

- [Spudger](#) (1)
 - [iFixit Opening Tools](#) (1)
-

Step 1 — Rear Panel



- Make sure your device is turned off. Then with a plastic opening tool, carefully remove the back panel by carefully working your way around the perimeter.

⚠ The panel will be glued on and requires pressure to open.

Step 2




- After removing the rear panel, use a plastic opening tool to remove the frame of the tablet.
- Start in the middle of the top side and insert a plastic opening tool between the screen and the frame.
- Carefully run the plastic opening tool along all the edges of the tablet.

Step 3




- When you take the rear panel and the frame out, place the rear panel and the frame away from the device.

Step 4 — Battery



- Disconnect the ZIF connectors to release the data cables holding the battery in. Use tweezers to do this.
- ⓘ You can also use your hand to remove ZIF connectors.
- ⚠ ZIF connectors are delicate so be careful when you are removing them.

Step 5



- Find the place where the battery connector is. Disconnect the battery connectors by carefully pulling up on them using a spudger or plastic opening tool.

Step 6



- Using a plastic opening tool carefully pry the battery loose. The battery is glued to the pad; slight pressure will be needed to remove the battery.

 The casing of the battery is soft and can easily tear. Tearing can lead to the chemicals in the battery to leak out.

To reassemble your device, follow these instructions in reverse order.