


Sony Xperia Z5C Rear camera & Earpiece & Front camera Replacement

Wanna to know how to disassemble Sony Xperia Z5 Compact rear camera, earpiece and front camera? Let's see the step-by-step process.

Written By: Witrigs





TOOLS:

- Heat Gun (1)
- iFixit Opening Picks set of 6 (1)
- Spudger (1)
- Tweezers (1)
- Heavy-Duty Suction Cups (Pair) (1)
- Phillips #000 Screwdriver (1)



PARTS:

- Sony Xperia Z5 Compact Front Camera (1)
- Sony Xperia Z5 Compact Back Cover Adhesive (1)
- Sony Xperia Z5C back cover sticker (1)

Step 1 — Rear camera & Earpiece & Front camera





Power off and remove SIM card tray.

Step 2








- Heat up the back cover to soften the adhesive.
- Place the suction cup to open a gap from top side, then insert guitar picks and slide it to cut the adhesive underneath.
- Remove back cover.

Step 3





- Twist off 10 Phillips screws all.
- Loosen NFC clip and flashlight clip.

Step 4







- Remove the plastic bracket.
- Pry up and remove back frame.


Step 5



Remove front camera.

Sony Xperia Z5C Rear camera & Earpiec...

Step 6




Remove earpiece.

Step 7







Remove rear camera.

To reassemble your device, follow these instructions in reverse order.