



# Video Guide: Rancilio Silvia Grouphead Screen & Gasket Replacment

Written By: iRobot



# INTRODUCTION



## TOOLS:

- [Craftsman 5/16" x 1 3/4" slotted screwdriver](#) (1)
- [Wire Brush](#) (1)
- [Canned Air](#) (1)
- [Awl](#) (1)
- [Hook & Pick Set](#) (1)



## PARTS:

- [Coffee Detergent \(We like Joe Glo\)](#) (1)
- [Rancilio Silvia Grouphead Gasket and Screen](#) (1)

## Step 1 — Identify Version & Prepare Machine For Tune-Up



- How to Identify which Silvia version you have.
- Remove Water tank, drip tray and portafilter.
- Flip the machine upside down.

## Step 2 — Remove The Screen & Diffuser



- Remove screen screw with flat head screwdriver.
  - Remove the old screen.
  - Remove and soak diffuser in Joe Glo coffee cleaner.
- ⓘ On version 3 you will need to remove and soak the brass disc as well.



### Step 3 — Remove Old Grouphead Gasket & Clean Grouphead



- Pry the gasket up with the sharp tip of the awl.
- Use Joe Glo coffee cleaner and hot water to soak the grouphead for 10-15 minutes.

### Step 4 — Soak the water with a towel & Last clean-up



- With a wire brush, clean the top of the grouphead.
- Use a paper towel / regular towel to soak the dirty water from the grouphead.
- **Use the compressed air can to clean any excess water or coffee.**
- Last but not least, use the pick on the top and bottom rails to remove last bits of coffee debris.

## Step 5 — Install New Gasket & Screen



- Take the new gasket and install it with the lettering down.
- Use a 1/4 inch flat punch to push down the gasket to ensure its nice and flat.
- Insert the diffuser with the water channels facing down.
- Place the new screen and insert the screw.
- Use an 8mm socket wrench to tighten the screw.

① Congratulations! You fixed the machine!