

JBL Pulse LED Light Replacement

A guide on replacing the LED light feature that occurs while playing music on your device.

Written By: Maxwell Busenbarrick



INTRODUCTION

When the lights are displaying improperly, usually replacing the LED lights will fix the problem.



TOOLS:

- iFixit Opening Tools (1)
- Phillips #0 Screwdriver (1)
- Metal Spudger (1)



PARTS:

• Screws (4)
Phillips Head
9 mm

Step 1 — Button Board




 Use a plastic opening tool to pry around the edges of the circular rubber panel.

Step 2



- Once the edges are loose, pull off the rubber button panel completely.
- New adhesive will have to be applied when reassembling.

Step 3




 Use your plastic opening tool to pry the button board loose by lifting the edges.

Step 4



- Lift the button board, exposing the attached cable.
- New adhesive will have to be applied when reassembling.

Step 5



 Pull black piece on top of socket away from board to loosen, then detach the cable.

Step 6 — Outer Casing









- Take out the four 9mm black PH0 screws from the top and bottom of the device.
- Pull off cap by hand.
- The outer casing can now be removed.


Step 7 — JBL Pulse LED Lights Disassembly





- Remove the tape around the cables on the top of the device.
- Remove the cables by lifting up on the black bracket and then pulling the cable out.

Step 8 — LED Light



 Pry off LED light panel using a metal spudger. To reassemble your device, follow these instructions in reverse order.