


# **Dell Inspiron 11-3162 Battery Replacement**

You'll find that this will help improve your...

Written By: Dominic DeLong



#### **INTRODUCTION**

You'll find that this will help improve your battery life to factory new! Always be careful when working with a battery.

### TOOLS:

Phillips #0 Screwdriver (1) Spudger (1) Tweezers (1)

### PARTS:

Dell Inspiron 11 3162 and 3168 Replacement Battery (1)

### Step 1 — Back Cover Removal





- ② Before you begin, be sure to turn off your laptop and unplug it from the outlet.
- Use <u>tweezers</u> to pry and remove the center screw cover on the back cover.

## Step 2






• Use a Phillips screwdriver to unscrew the nine 6.8 mm screws securing the back cover.


## Step 3




- Use a spudger to pry around the base edges of the back cover to loosen it from the laptop.
- ⚠ Do not fully remove the cover, as it is still attached to the laptop with cables.

### Step 4








- (i) If you are only replacing the battery, you can skip this step. Be careful not to strain the still-connected cable as you work.
- Unlock the wide ZIF connector securing the flex cable.
  - (i) To unlock a <u>ZIF connector</u>, use the tip of a spudger or your fingernail to flip up the small, hinged locking flap.
- Pull the ribbon cable outwards to disconnect the back cover from the motherboard.


### Step 5 — Battery






Use a Phillips screwdriver to unscrew the three 4 mm screws securing the battery.

### Step 6







- Use your fingers (or a set of <u>tweezers</u>) to disconnect the battery cable from the motherboard by gently pulling it towards the battery.
  - ⚠ Pull parallel to the battery, not straight up.
- Lift and remove the battery from its recess.

To reassemble your device, follow these instructions in reverse order.

For optimal performance, after completing this guide, <u>calibrate</u> your newly installed battery.

Take your e-waste to an R2 or e-Stewards certified recycler.

Repair didn't go as planned? Try some <u>basic troubleshooting</u>, or ask our <u>Answers community</u> for help.