



# Asus EeeBook X205TA USB Port Replacement

This guide will help you replace your Asus EeeBook X205TA USB Port.

Written By: Lorena Santiago



## INTRODUCTION

This guide will help you replace your Asus EeeBook X205TA trackpad in case it is worn out, damaged, or isn't working. If disposing trackpad , please follow the laws and regulations for proper disposal.



### TOOLS:

- [iFixit Opening Tools](#) (1)
- [iFixit Precision Bit Driver](#) (1)
- [Phillips #2 Screwdriver](#) (1)



### PARTS:

- [Asus EeeBook X205TA Replacement USB Port.](#) (1)

## Step 1 — USB Port




- Unscrew all 10 screws located on the bottom of the laptop using a Phillips #2 Screwdriver.
- ⓘ Keep in mind that some of the screws vary in length, so keep track of which screws were placed in each hole.

## Step 2



- Insert the plastic opening tool in the crevice between the back of the laptop and the rest of the case.
- Carefully pry open the case from several points.
- ⓘ Slowly remove the back of the laptop, revealing the parts inside.

### Step 3



- i** The USB ports are located on the strip that looks like the motherboard on the left side of the laptop next to the battery.
- Unscrew the four screws using Philips #2 screwdriver located around the edge of the USB ports.
  - Unplug the battery ZIF connector from the USB ports.

### Step 4



- Carefully remove the USB ports from the laptop.

To reassemble your device, follow these instructions in reverse order.