



Toshiba Satellite C55Dt-A5306 Keyboard Replacement

This guide will show you how to replace the keyboard on your Toshiba Satellite C55Dt-A5306.

Written By: zeena qiryaqoz



INTRODUCTION

This guide will show you how to replace the keyboard on your Toshiba Satellite C55Dt-A5306.



TOOLS:

- [Spudger](#) (1)
-

Step 1 — Battery



- Place fingers on the latches and slide outwards to unlock.

Step 2



- Remove battery.

Step 3 — Keyboard



- After removing the battery, open up your device so that the keyboard is facing you.

Step 4



- Using the spudger, go around the periphery of the keyboard while gently lifting out the keyboard little by little.

Step 5




- Lift the old keyboard out of the way.

Step 6




- ⚠ Before pulling out the keyboard, notice that it is connected to the motherboard via a ribbon cable. Gently press out the ribbon cable from its connection site and put the old keyboard aside.

Step 7





- Locate the keyboard ribbon cable, and the cable retainer keeping it attached to the motherboard.

Step 8



- Use your nylon spudger to release the retainer by gently lifting the retaining clips on either side.

Step 9



- Once both retaining clips have been lifted up, the ribbon cable should release with a gentle pull.
- You can now remove the keyboard.

To reassemble your device, follow these instructions in reverse order.