




The Beatles Rock Band Hofner Bass Whammy Bar Replacement

This guide will demonstrate how to replace the whammy bar in the guitar.

Written By: Jacob



INTRODUCTION


In this guide you will learn how to replace the whammy bar in a Rock Band Beatles Hofner Bass.



TOOLS:


- [JIS Driver Set](#) (1)
-

Step 1 — Back Plate





- Flip the bass onto its backside, so that the strummer is facing the table and the battery compartment is facing you.
- Use a J1 Phillips head screwdriver to remove ten 5mm short screws.
- Use a J1 Phillips head screwdriver to remove four 5mm long screws.

Step 2




- Flip the bass to the front, with the strummer and fret buttons facing you.
- Use a J1 Phillips head screwdriver to remove two 10mm silver, short screws.

Step 3




- Flip the bass on its back again, so that the strummer is facing down and the battery compartment is facing you.
- Pull off the back whole panel so that the bass is now open.

Step 4 — Whammy Bar





- Use J1 Phillips screwdriver to remove the four 10mm screws on the whammy bars black cover.

Step 5




- Remove the black cover.
- Now the white whammy bar underneath is visible.

Step 6



- Use a J1 Philips head screwdriver to remove one 10mm screw.
- This will unscrew the electrical connection between the whammy bar and the blue circuit board.
- Remove the electrical connector.

Step 7



- Remove the whammy bar, since nothing should be connecting to the guitar anymore.

To reassemble your device, follow these instructions in reverse order.