




The Beatles Rock Band Hofner Bass Strummer Bar Replacement

This guide demonstrates how to remove the strummer in the guitar.

Written By: Jacob



INTRODUCTION


Through this guide you will learn how to replace the strummer in a Rock Band Beatles Hofner Bass.



TOOLS:


- [JIS Driver Set](#) (1)
-

Step 1 — Back Plate





- Flip the bass onto its backside, so that the strummer is facing the table and the battery compartment is facing you.
- Use a J1 Phillips head screwdriver to remove ten 5mm short screws.
- Use a J1 Phillips head screwdriver to remove four 5mm long screws.

Step 2




- Flip the bass to the front, with the strummer and fret buttons facing you.
- Use a J1 Phillips head screwdriver to remove two 10mm silver, short screws.

Step 3




- Flip the bass on its back again, so that the strummer is facing down and the battery compartment is facing you.
- Pull off the back whole panel so that the bass is now open.

Step 4 — Strummer Bar



- Use a J1 Phillips head screwdriver to remove the four 10mm screws at the corners of the black casing.

Step 5



- Remove the connection from the board, so that the strummer is no longer connected.
- Carefully take the strummer out of the guitar, now that it is no longer connected.
- Now the strummer is completely removed.

To reassemble your device, follow these instructions in reverse order.