




Samsung Galaxy Tab A 9.7 Speakers Replacement

Use this guide to replace the Samsung Galaxy Tab A 9.7 speakers.

Written By: Paulina Nguyen



INTRODUCTION

The speakers in your device can be affected by a couple things such as dirt being stuck in them or simple usage over a long amount of time. Use this guide to replace them, bringing clear and new sound back to your device



TOOLS:


- [Heavy-Duty Spudger](#) (1)
- [Metal Spudger](#) (1)



PARTS:



- [Galaxy Tab A 9.7 \(Wi-Fi\) Left Speaker](#) (1)
- [Galaxy Tab A 9.7 \(Wi-Fi\) Right Speaker](#) (1)

Step 1 — Back Cover




- Insert a metal spudger between the back case and the screen of the device.
- ⓘ The back cover is attached to the device by a series of snaps. The snaps are positioned about an inch from each other.
- Move the spudger along the perimeter of the device while it is in between the back case and the screen to open each snap.
- ⓘ There will be an audible click every time a snap releases.

Step 2 — Speakers



- Remove the two 2.8 mm Phillips #000 screws from the speakers.

Step 3



- ⓘ Each speaker is now only connected to the main device by small plastic snaps.
- Pry the speakers from the device at these two points using the heavy duty spudger.

To reassemble your device, follow these instructions in reverse order.