




1994-2000 Lexus LS Rear Brake Pad and Rotor Replacement

A video tutorial on how to change the old worn out rear brake pads and rotors on a 1994-2000 Lexus LS400.

Written By: eCuration



This document was generated on 2021-10-28 10:46:32 AM (MST).

INTRODUCTION

If you are experiencing poor braking performance or a noise when braking, then it may be time to replace the rear brakes.

Follow this video tutorial by YouTuber [NutzAboutBolts](#) to complete the replacement yourself.



TOOLS:

- [Hydraulic Floor Jack](#) (1)
- [Jack Stand](#) (1)
- [Wheel Chocks](#) (1)
- [1/2" Drive Breaker Bar](#) (1)
- [17mm Deep Socket](#) (1)
- [17mm Socket](#) (1)
- [14mm socket](#) (1)
- [17mm Wrench](#) (1)
- [Impact Driver](#) (1)
- [6 Inch C-Clamp](#) (1)
- [Anti-Seize Lubricant](#) (1)
- [Dielectric Grease](#) (1)
- [Aerosol Brake Cleaner](#) (1)
- [Paper Towels](#) (1)
- [8mm Allen Socket](#) (1)
- [Torque Wrench](#) (1)



PARTS:

- [Rear Brake Pads](#) (1)
- [Brake Rotor](#) (1)

To reassemble your device, follow these instructions in reverse order.