


Asus Zenfone 5 Power and Volume Flex Cable Replacement

Asus Zenfone features 3 hard buttons, power, volume up, and volume down. Follow this guide to repair your Asus Zenfone 5's buttons.

Written By: Cakra Diaz



This document was generated on 2021-01-15 09:46:39 PM (MST).

INTRODUCTION

In this guide you will learn how to replace the power and volume flex cable in the Asus Zenfone 5.

IMPORTANT NOTE

This guide is for replacing the **flex cable** instead of the buttons itself, as replacing the buttons is considerably easy I won't make one!



TOOLS:

- Phillips #00 Screwdriver (1)
- Tweezers (1)
- Spudger (1)
- iFixit Opening Tools (1)



PARTS:

 Power and Volume Flex Cable Asus Zenfone 5 (1)

Step 1 — Back Cover









- Start by locating the small opener tab at the bottom-left corner of the phone.
- Remove the entire back cover.
 - (i) Use a plastic opening tool to make it easier to open. Here I'm simply using a cosmetic tweezer as I don't have one.
 - 1 It did leave a mark a bit but doesn't matter to me.

Step 2 — Midframe



- Remove the following screws:
 - 3 shorter Phillips #00 screws
 - 10 longer Phillips #00 screws
 - One of my longer screws is missing, don't know when I lost it.
- Gently lift the midframe up.
 - There might be some adhesive beneath these, just keep lifting it up gently.

Step 3 — Motherboard








- Identify these:
 - Flex Cable connector
 - Power and Volume Button Flex Cable itself
 - Battery Power connector
- First disconnect the power line by gently lifting the Battery Power connector up to prevent accidental power-on.
 - (i) Use a spudger to make it easier to lift it up.
- Gently pull the Flex Cable connector off from its port.
 - (i) Use a pair of tweezers to make it easier to pull it off.

Step 4 — Flex Cable





- Take the old Flex Cable off.
- Replace the Flex Cable that you've taken off with the new one.
 - The broken one
 - The new one
- Take the sticker for securing the adhesive off from the new one.
- Carefully place it.
- Proceed to the conclusion.

To reassemble your device, follow these instructions in reverse order.